

# 8-port 10Gbps Base-T Multi Gigabit Switch

## 100/1000M/2.5G/5G/10G RJ-45, Auto-Adaptive

Live-10TX800

airlive®



1G/2.5G/5G/10G  
Auto-adaptive

ESD  
protection

-10°C ~ +50°C

All Ports up to  
10G, RJ-45


Works with  
Cat6e/6a or up  
cables

Plug and Play

## Overview

### Upgrading your system to 10Gbps


The AirLive Live-10TX800 Multi-Gigabit switch is equipped with 8 RJ45 ports, each port supporting super high speed up to 10Gbps. Each port can auto-adaptively deliver speed at 100M/1000M or 2.5G/5G/10G to connective devices. It is perfect for various applications. For example, port 1 and port 2 connecting to your server or NAS Storage at 10Gbps, port 3 ~ port 5 connecting to your Notebook or PC at 2.5G or 1Gbps, port 6 connecting to gaming box at 5G or 10Gbps. Designed in a solid housing, it's an affordable, space-saving solution suitable to Home and SMB network applications.



100/1000M/2.5G/5G/10G RJ-45 Port

### 1G/2.5G/5G/10G RJ-45 Multi Gigabit perfect for various applications

With the AirLive 10G multi-Giga switch, you can connect to a variety of 10GbE-enabled devices, such as NAS | NVR | PC | Server, the RJ45 ports are auto adaptive and can also work at 100/1000M/2.5G/5G, for enjoying faster experience and handle bandwidth-hungry applications.



Built for High-Speed connectivity

### High Video Streaming

Moreover, higher bandwidth improves the playback quality of 4K/8K videos, prevents lag for Gaming, smooths speed when download or upload large data, increases data transfer speed when doing backup to a NAS drive.



## Features and Specifications

- 8 x 100/1000M/2.5G/5G/10G RJ45 ports
- All ports at Multi Gigabit high speed, auto-negotiation
- Zero configuration
- Compact size for Home or SMB Network Connectivity
- ESD protection
- Works with Cat6e/6a or up cables

Model	AirLive Live-10TX800
<p><b>Hardware</b></p> <ul style="list-style-type: none"> <li>• <b>Device Interface:</b> 8 x 100/1000M/2.5G/5G/10G RJ45 8-port totally</li> <li>• <b>Standard</b> IEEE802.3 10Base-TX IEEE802.3u 100Base-TX IEEE802.3ab Gigabit 1000Base-T IEEE802.3bz 2.5/5G Base-T IEEE 802.3ae 10G Ethernet IEEE 802.3az Energy Efficient Ethernet IEEE802.3x Flow Control and Back Pressure</li> <li>• <b>Industry standard compliant</b> EMI: FCC 47 CFR Part 15 Subpart B (Class A) EMS: EN61000-4-2 (ESD), EN61000-4-5 (Surge)</li> <li>• <b>LED Indicators:</b> PWR (power supply), Port LED Green (5/10G Link), Port LED Yellow (100/1000M Link)</li> <li>• <b>ESD Protection:</b> Common mode 6KV, ESD: Air 8KV, Contact 6KV</li> <li>• <b>Mechanical</b> Solid Metal Housing.</li> </ul> <p><b>Power</b></p> <ul style="list-style-type: none"> <li>• <b>Power Input:</b> AC100-240 V, 50/60Hz</li> </ul> <p><b>Switch Architecture   Performance</b></p> <ul style="list-style-type: none"> <li>• <b>Switching architecture: Store and Forward</b> Bandwidth: 160Gbps Packet Forward Rate: 119.04Mpps RAM: 128Mb Flash Memory: 16Mb Memory Cache: 12Mbit VLAN: 4K MAC Address: 16K Jumbo Frame: 12Kbytes Transfer mode: Store and forward MTBF:100000 hour</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Transmission Distance</b> 10Base-T: Cat3,4,5 UTP(≤250 meter) 100Base-TX: Cat5 or later UTP(150 meter) 1000Base-TX: Cat5e or later UTP(150 meter) 10000Base-TX: Cat6a or 6e, Cat7 or later UTP(100 meter)</li> </ul> <p><b>Environment</b></p> <ul style="list-style-type: none"> <li>• <b>Operating Temperature:</b> -10°C to +50°C</li> <li>• <b>Storage Temperature:</b> -40°C to +70°C</li> <li>• <b>Working Humidity:</b> 10%~90%, non-condensing</li> <li>• <b>Storage Humidity:</b> 5%~95%, non-condensing</li> </ul> <p><b>Standard package of switch</b></p> <ul style="list-style-type: none"> <li>• <b>Product size:</b> 32 x 20.7 x 4.5 cm(L*W*H)</li> <li>• <b>Package size:</b> 37 x 29 x 8.5 cm(L*W*H)</li> <li>• <b>Package Weight:</b> N.W: 1.72Kgs; G.W: 2.12Kgs</li> <li>• <b>Package content:</b> 1 x Switch, 1 x Power Cord, 1 x Pair of rack ears</li> </ul> <p><b>Standard carton package</b></p> <ul style="list-style-type: none"> <li>• <b>Quantity:</b> 5 pcs / 1 carton</li> <li>• <b>Dimensions</b> 44.5 x 31 x 39cm (L*W*H)</li> <li>• <b>Weight</b> 11.6Kgs (G.W)</li> </ul> <p><b>Ordering Information</b></p> <ul style="list-style-type: none"> <li>• <b>Model:</b> Live-10TX800</li> <li>• <b>Name:</b> 10Gbps Multi Gigabit Switch 100/1000M/2.5G/5G/10G RJ45, Auto-Adaptive</li> </ul>

\* Specification will be changed without prior notice

\* All trademarks, logos and brand names are the property of their respective owners.

